



Runex

Baking Equipment & Coatings

AN AMERICAN PAN COMPANY

Product Catalogue

Introduction



Company

Innovation & Tradition..... 3

World-Class Coatings 4

Recoating & Custom Manufacturing..... 5

Products

Baking Trays 6-8

Baguette Trays..... 9

Breadstraps, Tins, & Lids.....10-13

Bun, Roll, & Muffin Trays..... 14

Cake Rings & Frames15-16

Racks.....17-19

Trollies, Tables, & Dollies..... 20-25

Rack & Trolley Accessories.....26-27

Learn More

Scan the QR codes throughout this catalogue with your mobile device camera to learn more about Runex products and services.

Find more information about our products and services at **runex.com**. Learn about our refurbishment and custom solutions that are perfect for any bakery - from small retail shops to large multi-unit industrial bakeries.



Innovation & Tradition



For more than 50 years, Runex has been dedicated to producing quality baking tools for professional bakers across the Scandinavian region. Through a recent merger, Runex is now part of American Pan, the world's largest manufacturer of industrial bakeware and coatings. As we work together to continue broadening our product range and knowledge base, you as our customer will now find most of what you need with us.

Quality

- **Best Bakeware:** From the materials of construction to the details of design, our products are created to provide our customers with the highest quality, longest lasting bakeware.
- **High-Performance Coatings:** Our proprietary silicone coatings RilonElast and RilonHard are complemented by American Pan's range of industry-leading non-stick coatings such as AMERICOAT®, DuraShield®, and OptiShield®.
- **Full-Range Supplier:** Finspång, Sweden is home to our largest production facility where we produce baking trays, baking tins, racks, trollies, and silicone non-stick coatings. In addition, we have a large warehouse where we keep a broad inventory of bakery and pastry equipment, ready for quick delivery.

Expertise

- **Deep Experience:** We started producing quality baking tools more than 50 years ago and continually work to develop and enhance our products and product range, which is backed by industry leading technology and innovation.
- **Precision Manufacturing:** Our in-house products are developed and manufactured in modern and recently expanded premises in Finspång for the best quality and performance.
- **Custom Solutions:** Do you need equipment with exact specifications unique to your production? We work with our customers to develop products to fit their exact needs.

Service


- **First-Class Service:** Runex is part of family-owned American Pan, an industry leader that shares the same passion and dedication to the baking industry as we do. A shared focus is providing the best possible service to our customers.

Local Expertise & Support

Since our founding in 1972, the Runex team has been constantly learning and developing. With a highly skilled team in Sweden and our now globally extended sales team in American Pan, we are here to help you! Whether it's determining the right baking tool, designing a custom solution, selecting the best pan coating type, or creating a recoating schedule, our friendly and dedicated team is ready to assist!



World-Class Coatings



Pan Coatings

Using a high-quality non-stick coating offers numerous advantages over using silicone paper and/or grease. In most baking applications, bakers can achieve significant cost savings, maintain cleaner and safer working areas, and improve overall operation efficiency. Any of the coating types listed below can be used on Runex's perforated trays and baking pans. Contact a Runex sales representative for help determining which coating is right for your bakery.

Pan Coating	Standard Color	Approximate # of Releases*	Recoating Available
Silicone Glaze			
AMERICOAT [®] silicone glaze coating can be used for virtually any product and can significantly reduce the amount of oil needed for your baking process.	Clear	300 - 600	UK
Silicone Resin			
RilonHard silicone resin coating is used on a variety of tins or trays and is recommended for use with sweet doughs.	Grey	600 - 1500	Sweden & UK
Rubberized Silicone			
RilonElast rubberized silicone coating is used on a variety of tins or trays and is formulated to provide easy release of a wide range of baked goods.	Red	700 - 2000	Sweden & UK
Specialty Fluoropolymer			
OptiShield [®] fluoropolymer coatings have been developed to provide a durable solution for conditions where a standard coating will not perform.	Grey/Black	1500 - 3500	Romania, Spain, & UK
Premium Fluoropolymer			
DuraShield [®] coatings provide the longest lasting release life and the best release characteristics for baked goods from buns and rolls to breads and cakes.	Dark Green/Black	2500 - 5000	Romania, Spain, & UK

*Note that this is an approximate number and may not be the exact number of releases achieved.



Handling Procedure Guidelines

For complete handling procedure guidelines for any of our coated pans, please visit our website.

Recoating & Custom Manufacturing



Recoating - Life Cycle Management Programme

Our Life Cycle Management Programme was created to provide customers with a rotating supply of high-performing bakeware and coatings resulting in optimal operational efficiency and product quality.

The pan management process is simple and tailored to your products and operating schedule.

- **Purchase Pans:** New pans are purchased for use at your bakery and for rotating supply, kept at one of our pan refurbishment facilities. Pans can be purchased from one of our stock catalogues or be a custom pan.*
- **Scheduled Service:** At scheduled times, our dedicated fleet will pick up your used bakeware and drop off pans from your purchased stock.
- **Ready Supply:** The used pans are brought to our designated facility to be inspected and straightened (optional), cleaned, and recoated so that they are ready to deliver on your next scheduled pick-up date.

*Minimum quantities apply

Custom Manufacturing


Runex can design a product to meet your bakery's specific needs.

Bakeware

- **Sizes & Arrangements:** Customize your overall pan size, mould arrangements, and dimensions.
- **Mould Designs:** Create unique mould designs for signature products.
- **Materials:** Build your pan from strong and durable materials such as aluminum, aluminized steel, stainless steel, anodized aluminum, etc.
- **Coatings:** Select one of our proprietary coatings: AMERICOAT®, RilonHard, RilonElast, OptiShield®, or DuraShield® in standard or custom colors.


Racks, Trolleys, Tables, & Dollies

- **Sizes:** Customize your overall rack, trolley, table, or dolly size.
- **Rungs:** Create a unique design or use the standard assortment.
- **Materials:** Build your racks, trolleys, and dollies from strong and durable materials such as aluminum or stainless steel. We also build tables with wooden work tops.
- **Frame Type:** Select from many rack frame types, including our most popular Z-type frame due to its space saving design. For more information, see page 17.
- **Features:** Choose accessories that complement your bakery's unique equipment. If necessary, order steerings, fixings and brakes, or softer wheels.



We have 29 facilities around the world to better serve your refurbishment needs. For more information and to see the capabilities of each of our pan refurbishment locations, please visit our website.

GET MORE
DETAILS



Baking Trays

We can custom manufacture to your specifications.



SHOP BAKING TRAYS

PLAIN FLAT TRAYS

Short Sides 14 mm/45°, Peel Lip



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Thickness (mm)	Item #
40 x 60	1.4	FTRX-4011
45 x 60	1.4	FTRX-4001
45 x 60	2.0	FTRX-4069
46 x 61	1.4	FTRX-4023
46 x 61	2.0	FTRX-14734
46 x 76	2.0	FTRX-4676
47 x 63	1.4	FTRX-14666
47 x 63	2.0	FTRX-4139*
50 x 70	2.0	FTRX-4182
60 x 80	2.0	FTRX-14754

*Short sides 13 mm/45°

Long Sides Creased



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Thickness (mm)	Item #
GN 1/1	1.4	FTRX-4055
40 x 60	1.4	FTRX-4056

4-Sides Flared 12 mm/45° (FLD-Type)



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Thickness (mm)	Item #
40 x 60	1.4	FTRX-4017
46 x 61	1.4	FTRX-14740
46 x 76	2.0	FTRX-4150*

*4-sides flared 14 mm/45°



Baking Tray Racks & Trolleys


Runex manufactures racks and tray trolleys in a variety of sizes and features that fit our solid and perforated trays. See pages 18 and 23 for more information.

PERFORATED FLAT TRAYS

Short Sides 14 mm/45°



Aluminum; ø3.0 mm bottom perforation; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Thickness (mm)	Item #
45 x 60	2.0	PTRX-4104
46 x 61	2.0	PTRX-12642
50 x 70	2.0	PTRX-4181

Short Sides 14 mm/45°, Long Sides Creased



Aluminum; ø3.0 mm bottom perforation; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Thickness (mm)	Item #
45 x 60	1.4	PTRX-4009
47 x 63	2.0	PTRX-4216
47 x 70	2.0	PTRX-4081
50 x 65	2.0	PTRX-4078
50 x 70	2.0	PTRX-4107

Cooling Tray, ø15.0 mm Perforation



Aluminum; ø15.0 mm bottom perforation; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Thickness (mm)	Item #
50 x 70	2.0	PTRX-14257

Long Sides Creased



Aluminum; ø3.0 mm bottom perforation; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Thickness (mm)	Item #
GN 1/1	1.4	PTRX-4029
40 x 60	1.4	PTRX-4054

4-Sides Flared 12 mm/45° (FLD-type)



Aluminum; ø3.0 mm bottom perforation; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Thickness (mm)	Item #
40 x 60	1.4	PTRX-4018
46 x 76	2.0	PTRX-4404

Perforated Trays

Runex perforated trays feature ø3.0 mm holes with 23% open surface, allowing for optimal air circulation. Complete care guidelines for perforated trays are available on our website.



Perforation Pattern
3.0/23%



VIEW CARE GUIDELINES





Baking Trays


We can custom manufacture to your specifications.

SHEET PANS

4-Sides 90°



1.4 mm aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield*, or DuraShield*; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Mould Dimensions (mm)			Item #
	L	W	D	
GN 1/1	530	325	40	SPRX-14744
40 x 60	600	400	20	SPRX-14720
40 x 60	600	400	40	SPRX-14356
45 x 30	300	450	40	SPRX-14719
45 x 60	600	450	20	SPRX-4201
45 x 60	600	450	40	SPRX-4041
46 x 61	610	460	25	SPRX-14722
46 x 61	610	460	40	SPRX-14732
46 x 61	610	460	50	SPRX-14723
46 x 76	760	455	25	SPRX-BTY 538*
47 x 63	630	470	25	SPRX-14670
47 x 63	630	470	50	SPRX-14094
47 x 63	630	470	60	SPRX-14463
47 x 63	630	470	80	SPRX-2020-10-007

*2.0 mm aluminum

Removable Short Side



1.4 mm aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield*, or DuraShield*; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Mould Dimensions (mm)			Item #
	L	W	D	
GN 1/1	530	325	50	SPRX-12356
40 x 60	600	400	40	SPRX-12355
45 x 30	300	450	50	SPRX-12372
45 x 60	600	450	50	SPRX-12348
47 x 63	630	470	50	SPRX-14318

3-Sides 90°



2.0 mm aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield*, or DuraShield*; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Mould Dimensions (mm)			Edge/Angle	Item #
	L	W	D		
40 x 60	600	400	25	1 long side, 11 mm/30°	SPRX-BTY1042
46 x 76	762	455	25	1 long side, 11 mm/30°	SPRX-BTY929
46 x 76	762	457	25	1 short side, 5 mm/15°	SPRX-BTY1376
46 x 76	762	457	25	1 short side, 7 mm/30°	SPRX-BTY542

Baking Tray Options

With our custom manufacturing capabilities, Runex can manufacture baking trays with any of the features listed in any size!



REQUEST
A QUOTE

Baguette Trays

We can custom manufacture to your specifications.




SHOP
BAGUETTE TRAYS

FLUTED TRAYS

Open Ends



Aluminum; ø3.0 mm bottom perforation; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Flute Size (mm)			Thickness (mm)	Type	Item #
	L	W	D			
3 Flutes						
GN 1/1	530	70	20	1.4	B	BTRX-5085
40 x 60	600	120	19	2.0	D-special	BTRX-14317
45 x 60	600	135	15	2.0	D	BTRX-5082
46 x 76	760	135	15	2.0	D	BTRX-34676
47 x 63	630	135	15	2.0	D	BTRX-5174
50 x 65	650	135	15	2.0	D	BTRX-5268
50 x 70	700	135	15	2.0	D	BTRX-5272
50 x 70	700	135	15	2.0	D	BTRX-5356**
4 Flutes						
GN 1/1	530	60	18	1.4	H	BTRX-5076
40 x 60	600	70	27	1.4	J	BTRX-5180
45 x 60	600	100	23	2.0	C	BTRX-5072
46 x 76	762	75	37	2.0	E	BTRX-5213

Overall Size (cm)	Flute Size (mm)			Thickness (mm)	Type	Item #
	L	W	D			
5 Flutes						
40 x 60	600	65	20	1.4	A	BTRX-5034
45 x 60	600	70	27	2.0	J	BTRX-5005
45 x 60	600	70	20	2.0	B	BTRX-5071
46 x 61	460	100	28	1.4	C-special	BTRX-14724*
46 x 61	610	70	27	2.0	J	BTRX-14726
46 x 76	760	70	27	2.0	J	BTRX-5022
50 x 70	700	70	27	2.0	J	BTRX-5375
50 x 70	700	75	37	2.0	E	BTRX-5141**
6 Flutes						
45 x 60	600	60	18	1.4	H	BTRX-5087
46 x 61	610	60	18	1.4	H	BTRX-14725

*CW gutters on short side | **Grip edge 3.0 mm x 20 mm

All trays can be supplied with a gripping edge.

Fluted Tray Profiles

Type A
Width 65 mm
Depth 20 mm

Type B
Width 70 mm
Depth 20 mm

Type C
Width 100 mm
Depth 23 mm

Type D
Width 135 mm
Depth 15 mm

Type E
Width 75 mm
Depth 37 mm

Type H
Width 60 mm
Depth 18 mm

Type J
Width 70 mm
Depth 27 mm

Breadstraps, Tins, & Lids

We can custom manufacture to your specifications.




FABRICATED TIN SETS

Welded Corners (SL-Type)



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



SLRX-12414
20 x 60




SLRX-2021-10-007
40 x 60



SLRX-12970
45 x 60



SLRX-7069
47 x 63



SLRX-14752
50 x 34

Overall Size (cm)	Individual Tin Size (mm)			Arrangement	Item #
	L (Top/Btm.)	W (Top/Btm.)	D		
GN 1/1					
GN1/1	260	90	90	1 x 4	SLRX-14136
20 cm					
20 x 60	180	90	70	1 x 5	SLRX-12414
21 cm					
21 x 60	180/170	100/85	80	1 x 4	SLRX-14125
23 cm					
23 x 61	180	100	100	1 x 5	SLRX-14738
40 cm					
40 x 60	170	95	80	2 x 5	SLRX-2021-10-007
45 cm					
45 x 60	160	92	80	2 x 5	SLRX-7101
45 x 60	200	90	70	2 x 5	SLRX-12388
45 x 60	240	92	80	2 x 4	SLRX-7081
45 x 60	270	100	95	2 x 3	SLRX-7109
45 x 60	270	120/110	120	2 x 3	SLRX-7470
45 x 60	400	105	100	1 x 4	SLRX-7041
45 x 60	520	110	80	3 x 1	SLRX-12970
46 cm					
46 x 26	180	100	100	2 x 2	SLRX-14733
46 x 61	180	100	100	2 x 5	SLRX-14728
46 x 61	200	85	75	2 x 6	SLRX-14731
46 x 61	280	97	90	2 x 4	SLRX-14737
46 x 61	280	100	100	2 x 3	SLRX-14729

Overall Size (cm)	Individual Tin Size (mm)			Arrangement	Item #
	L (Top/Btm.)	W (Top/Btm.)	D		
47 cm					
47 x 30	180	110	80	2 x 2	SLRX-14710
47 x 31	260	100	80	1 x 4	SLRX-14135
47 x 34	300	100	100	1 x 4	SLRX-14747
47 x 63	240	92	80	2 x 4	SLRX-7069
50 cm					
50 x 34	300	100	100	1 x 4	SLRX-14752

Note that baking tins with welded corners are not completely liquid tight.

Spiral Loaf ø100 mm (SPEC-Type)

2-part round loaf, corrugated



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Individual Tin Size (mm)		Arrangement	Item #
	L	W		
50 x 31	300	ø100	1 x 4	DDRX-14792

DEEP DRAWN TIN SETS

Deep Drawn, 40-46 cm (DD-Type)




Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex




DDRX-13526
40 x 60



DDRX-14795
40 x 60



DDRX-12851
45 x 19



DDRX-12722
45 x 60



DDRX-16134
46 x 18

Overall Size (cm)	Individual Tin Size (mm)			Arrange-ment	Item #
	L	W	D		
40 cm					
40 x 60	130	80	35	4 x 4	DDRX-14581
40 x 60	145	92	80	2 x 5	DDRX-13526
40 x 60	175	125	80	2 x 4	DDRX-14683
40 x 60	220	95	90	2 x 3	DDRX-14795
40 x 60	270	93	80	2 x 3	DDRX-14684
45 cm					
45 x 19	175	125	80	1 x 3	DDRX-12851
45 x 25	225	125	80	1 x 3	DDRX-12850
45 x 25	233	131	100	1 x 3	DDRX-12849
45 x 26	240	95	70	1 x 4	DDRX-12682
45 x 29	270	93	80	1 x 4	DDRX-12852

Overall Size (cm)	Individual Tin Size (mm)			Arrangement	Item #
	L	W	D		
45 x 60	145	92	80	2 x 5	DDRX-12719
45 x 60	175	125	80	3 x 3	DDRX-12722
45 x 60	240	95	70	2 x 4	DDRX-12717
45 x 60	270	93	80	2 x 4	DDRX-12724
46 cm					
46 x 18	160	105	90	1 x 3	DDRX-16134
46 x 19	175	125	80	1 x 3	DDRX-16136
46 x 25	233	131	100	1 x 3	DDRX-16135
46 x 26	245	120	120	1 x 3	DDRX-16131
46 x 32	300	117	100	1 x 3	DDRX-16133
46 x 61	270	93	80	2 x 4	DDRX-14730


Deep Drawn, 47-50 cm (DD-Type)




Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex




DDRX-2022-06-015
47 x 22



DDRX-14766
47 x 30



DDRX-16137
47 x 63



DDRX-14751
50 x 25



DDRX-14756
50 x 70

Overall Size (cm)	Individual Tin Size (mm)			Arrange-ment	Item #
	L	W	D		
47 cm					
47 x 19	175	125	80	1 x 3	DDRX-14758
47 x 22	200	100	80	1 x 4	DDRX-2022-06-015
47 x 24	220	95	90	1 x 4	DDRX-14773
47 x 25	233	131	100	1 x 3	DDRX-14760
47 x 26	240	95	70	1 x 4	DDRX-14575
47 x 26	240	95	80	1 x 4	DDRX-16139
47 x 29	270	93	80	1 x 4	DDRX-14576
47 x 30	280	130	65	1 x 3	DDRX-14766
47 x 30	283	112	58	1 x 3	DDRX-14799
47 x 63	145	92	80	2 x 5	DDRX-16137
47 x 63	175	125	80	3 x 3	DDRX-16138

Overall Size (cm)	Individual Tin Size (mm)			Arrangement	Item #
	L	W	D		
50 cm					
50 x 19	175	125	80	1 x 3	DDRX-14759
50 x 21	200	100	80	1 x 4	DDRX-14777
50 x 24	220	95	90	1 x 4	DDRX-14767
50 x 25	225	125	80	1 x 3	DDRX-14751
50 x 25	233	131	100	1 x 3	DDRX-14761
50 x 26	240	95	70	1 x 4	DDRX-14745
50 x 29	270	93	80	1 x 4	DDRX-14746
50 x 30	280	130	65	1 x 3	DDRX-14762
50 x 60	130	80	35	4 x 5	DDRX-14580
50 x 60	250	150	47	2 x 3	DDRX-14579
50 x 70	280	130	65	2 x 3	DDRX-14756



Breadstraps, Tins, & Lids


We can custom manufacture to your specifications.

TIN SET LIDS

Ventilated,
4 sides 20 mm/90°



Aluminized steel; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Fits Overall Size (cm)	Internal Size (mm)		Thickness (mm)	Item #
	L	W		
46 x 26	460	266	2.0	LIRX-7411

4 Sides
15 mm/90°




Aluminized steel; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Fits Overall Size (cm)	Internal Size (mm)		Thickness (mm)	Item #
	L	W		
45 x 60	456	601	2.0	LIRX-7015
47 x 34	466	336	2.0	LIRX-14748
50 x 34	496	336	2.0	LIRX-14753

Tin Set Options

Runex tin sets are constructed of sturdy, high-quality materials but are also designed to be lightweight, making handling for bakery employees more manageable. Custom tin set sizes and configurations are available upon request. All of our single tins can also be made into tin sets. In addition, select any of our proprietary coatings for optimal performance, with refurbishment services readily available.



REQUEST
A DRAWING



SINGLE TINS

Deep Drawn



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Vol. (l)	Individual Tin Size (mm)			Description	Item #
	L	W	D		
0.2	130	50	30	Hot Dog Bun	STRX-14798
0.3	130	80	35	Focaccia Mini	STRX-14797
1.0	145	92	80	_____	STRX-12590
1.3	160	105	90	Slim Split	STRX-14749
1.6	175	125	80	Farmhouse 400 g	STRX-12592
1.4	200	100	80	_____	STRX-14790
1.7	220	95	90	_____	STRX-14796
2.1	225	125	80	Farmhouse 600 g	STRX-12750
2.9	233	131	100	Farmhouse 800 g	STRX-12591
1.5	240	95	70	_____	STRX-12589
1.8	240	95	80	_____	STRX-14770
3.3	245	120	120	Sandwich 800 g, corrugated sides	STRX-12597
1.7	250	150	47	Focaccia	STRX-14771
1.8	270	93	80	_____	STRX-12593
2.2	280	130	65	_____	STRX-14772
1.7	283	112	58	_____	STRX-14791
3.2	255	120	110	_____	STRX-12599
3.2	300	117	100	Split 800 g	STRX-12598

Fabricated Slotted



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex




Vol. (l)	Individual Tin Size (mm)			Item #
	L (Top/Btm.)	W (Top/Btm.)	D	
0.7	175/155	75/55	55	STRX-12512
1.0	180/165	90/70	70	STRX-13240
2.0	240/230	110/90	80	STRX-12468

Fabricated Corrugated



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Vol. (l)	Individual Tin Size (mm)			Item #
	L (Top/Btm.)	W (Top/Btm.)	D	
0.9	200/180	85/65	65	STRX-14742

Fabricated Folded Edges



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Vol. (l)	Individual Tin Size (mm)			Item #
	L (Top/Btm.)	W (Top/Btm.)	D	
1.2	210/190	100/75	70	STRX-12402
1.5	260/240	100/75	70	STRX-10109
2.1	320/300	90/75	80	STRX-12439

Fabricated with Sliding Lid



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex




Vol. (l)	Individual Tin Size (mm)			Item #
	L (Top/Btm.)	W (Top/Btm.)	D	
5.6	580/575	100/95	100	STRX-12441
13.0	590/585	170/160	135	STRX-13525

Fabricated Removable Short Side



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Vol. (l)	Individual Tin Size (mm)			Item #
	L	W	D	
3.3	590	75	75	STRX-14223

Bun, Roll, & Muffin Trays

We can custom manufacture to your specifications.



SHOP BUN, ROLL,
& MUFFIN TRAYS

HAMBURGER & HOT DOG BUN TRAYS

Barbanded Tray



0.8 mm aluminized steel; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by American Pan



Overall Size (cm)	Mould Dimensions (mm)		Arrangement	Item #
	W (Top/Btm.)	D		
45 x 60	ø102/98	20	3 x 5	AP-BBT2025325

Deep Drawn



2.0 mm aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex




Overall Size (cm)	Mould Dimensions (mm)			Arrangement	Item #
	L	W	D		
47 x 63	130	50	30	6 x 4	FORX-2019-12-004

MUFFIN TRAYS

24 Moulds



2.0 aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Mould Dimensions (mm)		Arrangement	Item #
	W (Top/Btm.)	D		
47 x 63	ø80/75	30	4 x 6	FORX-2019-12-003

Ask us for specific dimensions.




Muffin Trays

Our muffin moulds are designed to produce everyday muffins or cupcakes. Trays can be customized with any number of moulds or configurations to meet the needs of your bakery.

Cake Rings & Frames

We can custom manufacture to your specifications.



SHOP CAKE RINGS
& FRAMES

CAKE RINGS

Mousse Rings



0.5 mm stainless steel; Manufactured by Runex



Overall Size (mm)	Item #
ø60 x 60	CRRX-R6060
ø70 x 60	CRRX-R7060
ø80 x 60	CRRX-R8060
ø90 x 40	CRRX-R9040
ø100 x 40	CRRX-R10040
ø120 x 40	CRRX-R12040
ø120 x 50	CRRX-R12050
ø120 x 60	CRRX-R12060
ø130 x 50	CRRX-R13050
ø140 x 40	CRRX-R14040
ø140 x 50	CRRX-R14050
ø150 x 40	CRRX-R15040
ø160 x 40	CRRX-R16040
ø160 x 50	CRRX-R16050
ø160 x 60	CRRX-R16060
ø180 x 40	CRRX-R18040
ø180 x 50	CRRX-R18050
ø180 x 60	CRRX-R18060
ø190 x 50	CRRX-R19050
ø200 x 40	CRRX-R20040
ø200 x 50	CRRX-R20050
ø200 x 60	CRRX-R20060
ø210 x 50	CRRX-R21050
ø220 x 40	CRRX-R22040
ø220 x 50	CRRX-R22050

Overall Size (mm)	Item #
ø220 x 60	CRRX-R22060
ø230 x 40	CRRX-R23040
ø230 x 50	CRRX-R23050
ø240 x 40	CRRX-R24040
ø240 x 50	CRRX-R24050
ø240 x 60	CRRX-R24060
ø250 x 40	CRRX-R25040
ø250 x 50	CRRX-R25050
ø260 x 40	CRRX-R26040
ø260 x 50	CRRX-R26050
ø260 x 60	CRRX-R26060
ø280 x 40	CRRX-R28040
ø280 x 50	CRRX-R28050
ø280 x 60	CRRX-R28060
ø300 x 50	CRRX-R30050
ø300 x 60	CRRX-R30060
øVariable (max ø315) x 40	CRRX-RVAR40*
øVariable (max ø315) x 50	CRRX-RVAR50*
øVariable (max ø315) x 60	CRRX-RVAR60*


*Flexible

FRAMES

Rectangular Loaf



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Mould Dimensions (mm)			Item Code
	L	W	H	
Low				
40 x 60	350	520	50	BFRX-14757
47 x 63	400	600	50	BFRX-14462
High				
40 x 60	544	344	70	BFRX-14721
40 x 60	540	390	70	BFRX-14727
45 x 60	420	540	70	BFRX-7085

Cake Ring Trolley

Need a place to store your cake rings? Check out the Runex Cake Ring Trolley. The trolley is constructed of high-quality stainless steel and features 4 levels with 4 arms each, as well as 4 castors on the bottom for easy movement. See page 23 for more information.





Cake Rings & Frames

We can custom manufacture to your specifications.

Square Framework, 12 Breads



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex




Overall Size (cm)	Mould Dimensions (mm)			Item Code
	L	W	H	
45 x 60	120	120	70	BFRX-7095

Hexagon Loaf, 11 Breads



Aluminum; Can be purchased uncoated or non-stick coated with RilonHard, RilonElast, OptiShield®, or DuraShield®; Refurbishment available (minimum quantities may apply); Manufactured by Runex



Overall Size (cm)	Mould Dimensions (mm)			Item Code
	L	W	H	
45 x 60	80	80	70	BFRX-7514

Tools & Utensils

Stock up on basic tools and utensils to ensure your baking operation always has what it needs to operate smoothly and efficiently!



[VIEW TOOLS & UTENSILS](#)




Racks


We can custom manufacture to your specifications.



The global baking industry has many different standards for bakery racks and so do individual bakers. That is why at Runex, with our deep experience in bakery rack manufacturing, we produce high-quality stainless steel racks made to meet the unique needs of each of our customers. Below are a few examples of racks that we have manufactured, with Z-type racks being our most preferred style.



Z-type racks provide the same strength and durability of a standard rack but also feature a z-design, allowing the rack to easily fold and nest into other z-type racks, resulting in a ~50% increase of storage space in your bakery.





Racks

We can custom manufacture to your specifications.

STORAGE RACKS

Z-Type Storage Racks with Ø100 mm Wheels

1800 mm complete racks with stainless steel castor brackets and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Distance (mm)	Item #
GN 1/1 - with narrow 15 mm rungs			
GN 1/1	13	120	SRRX-LZGN11L13*
GN 1/1	15	104	SRRX-LZGN11L15*
GN 1/1	18	86	SRRX-LZGN11L18*
GN 1/1	20	79	SRRX-LZGN11L20*
40 cm - with standard 30 mm rungs			
40 x 60	11	142	SRRX-LZ4060L11
40 x 60	13	120	SRRX-LZ4060L13
40 x 60	14	111	SRRX-LZ4060L14
40 x 60	18	86	SRRX-LZ4060L18
40 x 60	20	79	SRRX-LZ4060L20
40 x 60	26	61	SRRX-LZ4060L26
40 x 60	36	43	SRRX-LZ4060L36
45 cm - with standard 30 mm rungs			
45 x 60	11	142	SRRX-LZ4560L11
45 x 60	13	120	SRRX-LZ4560L13
45 x 60	18	86	SRRX-LZ4560L18
45 x 60	26	61	SRRX-LZ4560L26
45 x 60	36	43	SRRX-LZ4560L36
46 cm - with standard 30 mm rungs			
46 x 61	13	120	SRRX-LZ4661L13
46 x 61	15	104	SRRX-LZ4661L15
46 x 61	18	86	SRRX-LZ4661L18
46 x 61	30	51	SRRX-LZ4661L30
46 x 76	18	86	SRRX-LZ4676L18
47 cm - with standard 30 mm rungs			
47 x 63	10	156	SRRX-LZ4763L10
47 x 63	15	104	SRRX-LZ4763L15
47 x 63	18	86	SRRX-LZ4763L18
47 x 63	20	79	SRRX-LZ4763L20
47 x 63	26	61	SRRX-LZ4763L26
47 x 63	30	51	SRRX-LZ4763L30
47 x 63	36	43	SRRX-LZ4763L36

Tray Size (cm)	# of Rungs	Rung Distance (mm)	Item #
50 cm - with standard 30 mm rungs			
50 x 65	15	104	SRRX-LZ5065L15
50 x 65	20	79	SRRX-LZ5065L20
50 x 65	30	51	SRRX-LZ5065L30
50 x 70	30	51	SRRX-LZ5070L30
50 x 70	30	53	SRRX-LZ5070L30-1900**
60 cm - with standard 30 mm rungs			
60 x 80	30	51	SRRX-LZ6080L30

*With 2 brakes | **1900 mm

Z-Type Storage Racks with Ø75 mm Wheels

1780 mm complete racks with galvanized steel castor brackets and Ø75 mm PP-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Distance (mm)	Item #
45 cm - with standard 30 mm rungs			
45 x 60	18	86	SRRX-LZB4560L18
45 x 60	36	43	SRRX-LZB4560L36



Baking & Baguette Trays

Baking and baguette trays from Runex come in many sizes and styles to fit a variety of racks. See our selection of flat and fluted trays starting from page 6.

OVEN RACKS

Z-Type Oven Racks, Chassis Only

1670 mm chassis, no brackets
or wheels (order separately)



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Distance (mm)	Item #
GN 1/1 - with narrow 15 mm rungs			
GN 1/1	20	79	ORRX-ZGN11L20
40 cm - with standard 30 mm rungs			
40 x 60	10	156	ORRX-Z4060L10
40 x 60	13	120	ORRX-Z4060L13
40 x 60	15	104	ORRX-Z4060L15
40 x 60	18	86	ORRX-Z4060L18
40 x 60	20	79	ORRX-Z4060L20
40 x 60	36	43	ORRX-Z4060L36
45 cm - with standard 30 mm rungs			
45 x 60	8	196	ORRX-Z4560L08
45 x 60	10	156	ORRX-Z4560L10
45 x 60	11	142	ORRX-Z4560L11
45 x 60	13	120	ORRX-Z4560L13
45 x 60	15	104	ORRX-Z4560L15
45 x 60	18	86	ORRX-Z4560L18
45 x 60	22	75	ORRX-Z4560L22
45 x 60	26	61	ORRX-Z4560L26
45 x 60	30	52	ORRX-Z4560L30
45 x 60	36	43	ORRX-Z4560L36
46 cm - with standard 30 mm rungs			
46 x 61	11	142	ORRX-Z4661L11
46 x 61	13	120	ORRX-Z4661L13
46 x 61	15	104	ORRX-Z4661L15
46 x 61	18	86	ORRX-Z4661L18
46 x 76	10	156	ORRX-Z4676L10
46 x 76	15	104	ORRX-Z4676L15
46 x 76	32	47	ORRX-Z4676L32
47 cm - with standard 30 mm rungs			
47 x 60	15	104	ORRX-Z4760L15
47 x 63	11	142	ORRX-Z4763L11
47 x 63	14	111	ORRX-Z4763L14

Tray Size (cm)	# of Rungs	Rung Distance (mm)	Item #
47 x 63	15	104	ORRX-Z4763L15
47 x 63	18	86	ORRX-Z4763L18
47 x 63	20	79	ORRX-Z4763L20
47 x 63	22	75	ORRX-Z4763L22
47 x 63	28	55	ORRX-Z4763L28
47 x 63	36	43	ORRX-Z4763L36
50 cm - with wide 50 mm rungs			
50 x 65	10	156	ORRX-Z5065L10W
50 x 65	13	120	ORRX-Z5065L13W
50 x 65	14	111	ORRX-Z5065L14W
50 x 65	18	86	ORRX-Z5065L18W
50 x 65	25	64	ORRX-Z5065L25W
50 x 70	10	156	ORRX-Z5070L10W
50 x 70	13	120	ORRX-Z5070L13W
50 x 70	18	86	ORRX-Z5070L18W
50 x 70	20	79	ORRX-Z5070L20W
50 x 70	26	61	ORRX-Z5070L26W
50 x 70	36	43	ORRX-Z5070L36W

Castors & Wheels

Castors and wheels offered by Runex are ideal for both oven and storage racks as well as a variety of trollies. Castors are made from stainless or galvanized steel and wheels are made from resin, rubber, or steel. See page 26 for more information.




Trollies, Tables, & Dollies

We can custom manufacture to your specifications.




**SHOP TROLLIES,
TABLES, & DOLLIES**



From a first thought to the item that has become a new favorite in your bakery, our friendly and experienced team members are here to help bring your ideas to life!

From having easy access to the necessary ingredients to helping maintain bakery organization and cleanliness, trollies and dollies greatly increase bakery efficiency. That is why we offer a large variety of trolley and dolly options as well as custom manufacturing, to meet the exact needs and specifications of your unique operation. Below are some examples of products that we have produced for our customers.



**REQUEST
A QUOTE**

TROLLIES

Serving Tray Trolleys

1520 mm complete trolleys with stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Description	# of Rungs	Rung Distance (mm)	Item #
28 x 36 "Café"			
Stainless steel	10	130	SRRX-BV2836
Black powder painted surface	10	130	SRRX-BV2836S
White powder painted surface	10	130	SRRX-BV2836V
Stainless steel, double	10 + 10	130	SRRX-BVD2836
33 x 43 "Lunch"			
Stainless steel	10	130	SRRX-BV3343
Black powder painted surface	10	130	SRRX-BV3343S
White powder painted surface	10	130	SRRX-BV3343V
Stainless steel, double	10 + 10	130	SRRX-BVD3343

Bread Trolleys

Complete mobile trolleys with stainless steel castor brackets and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Distance (mm)	Height (mm)	Item #
Cooling (excludes shelves)				
40 x 120	10	160	1800	SRRX-BRW10-120
55 x 90	11	160	2000	SRRX-2021-02-026
Display with inclined shelves (excludes baskets)				
40 x 60	5	300	1800	SRRX-BRW5-60*
40 x 60	7	215	1800	SRRX-BRW7-60*
40 x 120	8	180	1800	SRRX-BRW8-120

*With 2 brakes

Dishwasher Trolleys

Complete trolleys with top-plate, drip-tray, stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Distance (mm)	Overall Size (mm)			Item #
			L	W	H	
50 x 50	3	227	500	560	900	SRRX-14763
50 x 50	9	197	500	560	1800	SRRX-14764

Unloading Trolleys

Complete trolleys with stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Dist. (mm)	Overall Size (mm)			Item #
			L	W	H	
Bowl						
47 x 47	0 + 2 shelves	—	475	475	800	TTRX-2019-10-013
Fermentation						
60 x 80	10	156	800	660	1800	SRRX-2022-03-011*

*Cooling wire not included

Serving Trays & Bread Baskets

Runex offers serving trays and bread baskets that pair perfectly with our trolleys. Both the serving trays and bread baskets are designed to nest into themselves to save space when storing.



VIEW SERVING TRAYS & BREAD BASKETS





Trollies, Tables, & Dollies

We can custom manufacture to your specifications.

Ingredient Combi Trollies

Complete 60L bin, tray storage trollies for sacks with stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



# of Compartments	Overall Size (mm)			Item #
	L	W	H	
1	295	255	735	TTRX-KV1*
3	430	835	685	TTRX-KV3
4	430	1155	685	TTRX-KV4
5	430	1375	685	TTRX-KV5
6	800	835	685	TTRX-KV6
8	800	1105	685	TTRX-KV8

*Ø75 mm PP-wheels, no brakes

Sack Trolley

Complete trolley with stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Sack Size (cm)	Overall Size (mm)			Item #
	L	W	H	
40 x 40	500	500	980	TTRX-SV125

Flat Bed Trolley

Complete trolley with stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	Overall Size (mm)			Item #
	L	W	H	
110 x 60	600	1100	900	TTRX-2022-02-012



Tray Storage
Trolleys

Complete trolleys with stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	Cap.	Overall Size (mm)			Item #
		L	W	H	
45 x 60, 46 x 61, 47 x 63	~300	495	680	785	TTRX-8062
45 x 60, 46 x 61, 47 x 63	~600	495	680	1385	TTRX-12241
50 x 70	~300	525	790	785	TTRX-2020-11-022
50 x 70	~300	525	800	834	TTRX-2021-04-016

Tin Set Storage
Trolley

Complete trolley with 1 handle, stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	Overall Size (mm)			Item #
	L	W	H	
160 x 63	630	1590	1300	TTRX-2020-12-009

Cake Ring Trolley

Complete trolley with 4 levels, stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Overall Size (mm)			Item #
L	W	H	
600	600	1625	TTRX-13003

Standard Transport
Cabinets

Complete cabinets with stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Dist. (mm)	Height (mm)	Item #
40 cm				
40 x 60	11	86	1200	TRRX-TSL4060L11
40 x 60	18	86	1800	TRRX-TS4060L18
40 x 60	36	43	1800	TRRX-TS4060L36
45 cm				
45 x 60	11	86	1200	TRRX-TSL4560L11
45 x 60	18	86	1800	TRRX-TS4560L18
45 x 60	36	43	1800	TRRX-TS4560L36
46 cm				
46 x 61	11	86	1200	TRRX-TSL4661L11
46 x 61	18	86	1800	TRRX-TS4661L18
46 x 61	36	43	1800	TRRX-TS4661L36
47 cm				
47 x 63	11	86	1200	TRRX-TSL4763L11
47 x 63	18	86	1800	TRRX-TS4763L18
47 x 63	36	43	1800	TRRX-TS4763L36

Insulated Thermo
Transport Cabinets

Complete cabinets with 50 mm insulation, stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Dist. (mm)	Height (mm)	Item #
47 x 63	11	86	1200	TRRX-TTSL4763L11
47 x 63	18	86	1800	TRRX-TTS4763L18
47 x 63	36	43	1800	TRRX-TTS4763L36



Trollies, Tables, & Dollies

We can custom manufacture to your specifications.

TABLES

Tables with Wheels

Complete tables with stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Distance (mm)	Overall Size (mm)			Item #
			L	W	H	
GN1/1	8 + 8 + 2 shelves	88	530	1150	985	TARX-14765
45 x 60	4	152	600	510	800	TARX-BV4560L04
45 x 60	9	68	600	510	800	TARX-BV4560L09
47 x 63	6 + 6 + 6 + 6	96	1000	2130	900	TARX-2022-05-009*
100 x 65	—	—	650	1000	510	TARX-BV1006551

*With beechwood worktop

Ingredient Trollies

Complete mobile weighing tables with backing, stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Equipment	Overall Size (mm)			Item #
	L	W	H	
4 x 25L plastic bins	500	615	910	SRRX-ZTS425
9 x 12L plastic bins	500	380	1760	SRRX-ZTS912
9 x 25L plastic bins	500	670	1760	SRRX-ZTS925

Ingredient Weighing Stations

Complete mobile weighing tables with backing, stainless steel castor brackets, 2 brakes, and Ø100 mm PA/PU-wheels



Stainless steel; Manufactured by Runex



Equipment	Overall Size (mm)			Item #
	L	W	H	
3 x 40L and 3 x 60L plastic bins	615	1305	835	TARX-ZTW4060-6
6 x 60L plastic bins	615	1305	935	TARX-ZTW660
9 x 60L plastic bins	615	1305	1285	TARX-ZTW960

Featured Table Rack, 5 Rung

ø50 mm adjustable polyamide feet



Stainless steel; Manufactured by Runex



Tray Size (cm)	# of Rungs	Rung Distance (mm)	Overall Size (mm)			Item #
			L	W	H	
45 x 60	5	49	600	510	340	SRRX-13082



Table Options

All Runex tables can be custom manufactured to meet your bakery's specific needs from the size and configuration to features like rails for pans, shelves for ingredient containers, enclosed cabinets, and more. Just give us a call!


DOLLIES & BINS

Dollies

Complete dollies with stainless steel castor brackets and ø75 mm swivel PP-wheels



Aluminum; Stainless steel; Manufactured by Runex



Overall Size (cm)	Edge/Angle	Description	Item #
For bread baskets (stainless steel)			
40 x 60	4 sides, 25 mm/90°	Payload 165 kg	DORX-8148RF
40 x 60	4 sides, 25 mm/90°	Closed bottom, payload 165 kg	DORX-8148RF-T
40 x 60	4 sides, 25 mm/90°	Large wheels, payload 400 kg	DORX-8148RF-100*
For bins (aluminum)			
22 x 44.5	4 sides, 60 mm/90°	Fits 1x 60L bin	DORX-10084
44.5 x 52	4 sides, 60 mm/90°	Fits 2x 60L bin	DORX-10085
37 x 37	4 sides, 55 mm/90°	Fits 1x 90L bin	DORX-12274
For bottle crates (aluminum)			
27 x 40	4 sides, 25 mm/90°	Soft drinks	DORX-12603
30 x 40	4 sides, 25 mm/90°	Coke	DORX-12602

*Ø100 mm swivel PA/PU-wheels

Stacking Trolley for RX-8148RF (up to 18 dollies)

Complete trolley with stainless steel castor brackets, 2 brakes, and ø100 mm swivel PP-wheels



Stainless steel; Manufactured by Runex



Overall Size (mm)			Item #
L	W	H	
310	310	950	TTRX-8174

Hook for Dollies



Ø8 mm stainless steel; Manufactured by Runex



Length (mm)	Item #
940	DORX-14649

Bins with Lid

Complete mobile flour wagons with stainless steel castor brackets and ø75 mm swivel PP-wheels




Stainless steel; Manufactured by Runex



Vol. (l)	Overall Size (mm)			Item #
	L	W	H	
70	290	548	735	DORX-2018-11-005
175	450	710	735	DORX-2019-05-003

Bins for Dollies

We offer a selection of bins in a variety of colors, designed to fit securely on dollies for easy transportation. Matching lids are also available to ensure safe storage.



VIEW BINS

Rack & Trolley Accessories



SHOP RACK & TROLLEY
ACCESSORIES

CASTORS

Castor Brackets for ø100 mm Wheels with Center Hole

ø12 mm center hole, 45 mm
fork width, ø8 mm hub



Galvanized steel; Stainless steel

Description	Item #
Galvanized Steel	
Without brake	TR-050708*
Hard brake	TR-050767
Stainless Steel	
Without brake, unframed swinging bar	TR-050739
Hard brake, not suitable for soft wheels in 72-series	TR-050765

*ø13 mm center hole

Castor Brackets for ø100 mm Wheels with Fixed Top Plate

100 x 85 mm top plate, 80 x 60 mm
c-c hole, 45 mm fork width, ø8 mm hub



Galvanized steel; Stainless steel

Description	Item #
Galvanized Steel	
Without brake	TR-404452
Stainless Steel	
Without brake	TR-409252

Castor Brackets for ø100 mm Wheels with Top Plate

100 x 85 mm top plate,
80 x 60 mm c-c hole, 45 mm
fork width, ø8 mm hub



Galvanized steel; Stainless steel

Description	Item #
Galvanized Steel	
Without brake	TR-050702
Hard brake, only for soft wheels in 72GS-series	TR-050705
Hard brake	TR-400352
Stainless Steel	
Without brake	TR-050722
Hard brake	TR-050903

Complete Trolley Wheels ø75 x 24 mm with Top Plate

60 x 60 mm top plate,
45 x 45 mm c-c hole



Galvanized steel

Description	Payload (kg)	Item #
Swivel castor bracket without brake, PP-wheel with thermo rubber tread, plain bushing	70	TR-384303
Fixed castor bracket without brake, PP-wheel with thermo rubber tread, plain bushing	70	TR-385303

Complete Trolley Swivel Wheel ø75 x 24 mm

ø12 mm swivel hole



Galvanized steel



Description	Payload (kg)	Item #
Without brake, PP-wheel with thermo rubber tread, plain bushing	70	TR-383303

Complete Trolley Wheel ø100 x 30 mm with Top Plate

100 x 85 mm top plate, 80 x 60 mm c-c hole, ø9 mm hub



Galvanized steel



Description	Payload (kg)	Item #
Without brake, PP-wheel with thermo rubber tread	100	TR-714202

WHEELS

Oven Rack Wheels ø100 mm

ø30-40 mm, includes axle set



Description	Max Temp.	Payload (kg)	Item #
Silicone rubber on aluminum, double ball bearings	-30 to +250°C	80	TR-722152
Resin, Teflon bushing	-20 to +300°C	200	TR-671102
Resin/phenoplast, double ball bearings	-30 to +300°C	240	TR-672502

Storage Trolley Wheel ø100 mm

ø30 mm, includes axle set



Description	Max Temp.	Payload (kg)	Item #
Polyamide wheel with polyurethane tread, plain bushing	-15 to +80°C	170	TR-601102

FIXTURES

Steering Parts for Oven Racks



Stainless steel; Manufactured by Runex



Name	Description	Item #	
Guide			
Guiding Roll Top	50 x 40 mm, height 77 mm to Z-Rack	ACRX-ST-R	
Guiding Pin Top	ø25 x 45 mm, bolt M10 to rack, protruding 20 mm	ACRX-ST-K	
Guiding Pin Bottom	ø25 x 115 mm, bolt M10 to rack, protruding 90 mm	ACRX-ST-L	
Tray Stop			
Tray Stop	1670 mm chassis	ACRX-GS-UNI	

Rack Dust Covers

Protect your baked goods from germs, dust, and other debris with quality rack dust covers. We offer rack dust covers in a variety of sizes, materials, and features.



VIEW RACK DUST COVERS





Runex

Baking Equipment & Coatings

AN AMERICAN PAN COMPANY



CONTACT US

Leverstorpsvägen 6 | SE-612 44 Finspång | Sweden
+46 122 249 90 | info@runex.com | runex.com | [in](#) [f](#) [@](#)

